



**ఆంధ్రప్రదేశ్ రాజ పత్రము**  
**THE ANDHRA PRADESH GAZETTE**  
**PUBLISHED BY AUTHORITY**

W.No.12

AMARAVATI, WEDNESDAY, MARCH 27, 2019

G.893

**PART I - NOTIFICATIONS BY GOVERNMENT, HEADS OF DEPARTMENTS  
AND OTHER OFFICERS**

--X--

**NOTIFICATIONS BY GOVERNMENT**  
**ENVIRONMENT, FORESTS, SCIENCE & TECHNOLOGY**  
**DEPARTMENT**  
**(FOR.I)**

SPS NELLORE DISTRICT - RESERVATION OF UYYALAPALLI FOREST BLOCK - TO  
AN EXTENT OF 641.73 ACRES OR 259.70 Ha OF LAND - UNDER SECTION 4  
OF THE ANDHRA PRADESH FOREST ACT, 1967 AS UYYALAPALLI  
FOREST BLOCK.

***[G.O.Ms.No. 35, Environment, Forests, Science & Technology (For.I),  
26<sup>th</sup> February, 2014.]***

**NOTIFICATION**

In exercise of the powers, conferred by Section 4 of the Andhra Pradesh Forest Act, 1967 (Act I of 1967), the Governor of Andhra Pradesh, hereby declares that it is proposed to constitute the land within the boundaries specified in the Schedule below as Reserved Forest under the said Act, and appoints the Forest Settlement Officer, SPSR Nellore to be the Forest Settlement Officer in regard to the said land to consider the objections if any and to enquire into the determine the existence nature and extent of any rights claimed by or alleged to exist in favour of any person in or over any land comprised within such limits or to any Forest produce of such land and to deal with the same as provided in Chapter-II of the said Act, held by the said Forest Settlement Officer.

**SCHEDULE**

Name of the District	:	SPSR Nellore
Name of the Division	:	Nellore
Name of the Revenue Mandal	:	Kaluvai
Name of the Range	:	Rapur
Name of the Village	:	Uyyalapalli
Name of the Forest Block proposed to be Reserved	:	Uyyalapalli Extn. RF
Area of the Forest Block proposed to be Reserved	:	641.73 Acrs or 259.70 Ha

**DETAILS OF AREA INCLUDED IN THE PROPOSED RESERVED FOREST****BLOCK**

Village	Survey No.	Present Classification IN Revenue Records	Total extent in Acrs.	Area included in Block(Acrs)
Uyyalapalli	9-Part	Poramboke	326.50	324.23
	66-Part	Poramboke	-	183.00
Uyyalapalli	67-1	Poramboke	134.50	134.50
		<b>Total</b>		<b>641.73</b>

**BOUNDARIES**

**NORTH:** Starting from Station No. 1, situated ~~on~~ common village boundary of Chinthalapalem and Uyyalapalli village at Latitude of N 14.44205 and Longitude of E 079.37852 and runs in Eastern and Northern direction upto Station No. 14 as per the following Magnetic bearings and distances as detailed below.

Station No.		Magnetic Bearings		Distance in Links	Remarks
From	To	Degrees	Minutes		
1	2	77	0	1186	Along the boundary of Sy.No. 9
2	3	0	30	1430	
3	4	126	0	700	Along the boundary of Sy.No. 2
4	5	93	30	180	
5	6	8	30	700	
6	7	335	0	879	
7	8	96	0	1200	Along the boundary of Sy.No. 1
8	9	95	0	1118	Along the boundary of Sy.No. 3
9	10	195	30	257	Along the boundary of Sy.No. 5
10	11	129	0	1696	
11	12	26	30	652	Along the boundary of Sy.No. 6
12	13	158	0	1618	
13	14	97	30	1114	Along the boundary of Sy.No. 7

**EAST:** Then the boundary line runs in southern direction upto station NO. 20 as per the following magnetic bearings and distances given below:

Station No.		Magnetic Bearings		Distance in Links	Remarks
From	To	Degrees	Minutes		
14	15	191	0	2330	Along the boundary of Sy.No. 67/2
15	16	191	0	3000	
16	17	212	0	250	Along the boundary of Sy.No. 36
17	18	190	0	250	
18	19	173	0	450	
19	20	170	0	650	Along the boundary of Sy.No. 35

**South:** Then the boundary line runs in western direction and southern direction upto station NO. 29 as per the following magnetic bearings and distances given below:

Station No.		Magnetic Bearings		Distance in Links	Remarks
From	To	Degrees	Minutes		
20	21	276	30	717	Along the boundary of Sy.No. 34 & 12
21	22	280	30	1200	Along the boundary of Sy.No.12
22	23	314	0	100	Along the boundary of Sy.No.66
23	24	314	0	1133	
24	25	291	0	1140	
25	26	200	0	2000	
26	27	200	0	2200	
27	28	289	0	1800	
28	29	289	0	1036	



**West:** Then the boundary line runs in Eastern boundary of Rapur Velugonda Block B RF upto station NO.38 then the line runs along with village boundary of Chintalapallem Village upto station No. 40 then the starting point of station No. 1 as per the following magnetic bearings and distances given below:

Station No.		Magnetic Bearings		Distance in Links	Remarks
From	To	Degrees	Minutes		
29	30	324	30	1687	Along the boundary of Uyyalapalli RF.
30	31	332	30	620	
31	32	341	0	430	
32	33	35	0	606	Along the boundary of Rapur Veligonda block -B - RF.
33	34	36	30	523	
34	35	35	30	500	
35	36	55	30	512	
36	37	63	0	600	
37	38	87	30	659	
38	39	15	0	841	Along the boundary of Chintalapallem Village limits
39	40	12	0	1337	
40	1	65	0	1687	Along the boundary of Sy. No. 155

### **REMARKS**

- (1) There are no enclosures to be admitted within the block
- (2) The existing metal road leading from Somasila to Rapur passing through the block is admitted as right of way for the public to an average width of 100 links.
- (3) Kandaleru- Poondi (TGP) main canal of 500 links width passing through the block is admitted as right of water course.

**M. SAMUEL,**  
*Special Chief Secretary to Government.*

### ప్రకటన

ఆంధ్రప్రదేశ్ ప్రభుత్వము అటవీ శాఖవారి అటవీ చట్టము 1967 సెక్షను, 4 ప్రకారము (చట్టం 1967), ఆంధ్రప్రదేశ్ గవర్నరు గారి అధికారములకు లోబడి సెక్షను 4 ప్రకారము రిజర్వు ఫారెస్టుగా పరిగణించబడుటకు గాను అధ్యాయము-2 లో పొందుపరచిన సూచనల మేరకు ఈ అటవీ భూమి యొక్క విస్తీర్ణము, అటవీ స్వభావము మరియు ఈ అటవీ భూమి సరిహద్దు చుట్టూ గల గ్రామ ప్రజల వద్ద నుండి భూఅక్రమణలకు సంబంధించి ఏమైనా అక్షేపణలు ఉన్నయెడల వాటినిపరిశీలించుటకు, అట్టి పరిధిలోపల ఉన్న ఏమైనా హక్కుల యొక్క అస్తిత్వాన్ని, స్వభావాన్ని విస్తృతించి గురించి విచారించి మరియు పరిష్కరించుటకు గాను శ్రీ పొట్టి శ్రీరాములు నెల్లూరు జిల్లా ఫారెస్టు సెటిల్మెంట్ ఆఫీసరు గారిని నియమించడమైనది

### షెడ్యూలు

1)	జిల్లా పేరు	:	శ్రీ పొట్టి శ్రీరాములు నెల్లూరు
2)	అటవీ డివిజను పేరు	:	నెల్లూరు
3)	రెవిన్యూ పుండలము పేరు	:	కలువాయి
4)	రేంజి పేరు	:	రాపూరు
5)	గ్రామం పేరు	:	ఉయ్యాలపల్లి
6)	రిజర్వు చేయబడు అటవీ భాగం పేరు	:	ఉయ్యాలపల్లి ఎక్స్టెన్షన్ రిజర్వు ఫారెస్టు
7)	రిజర్వు చేయబడు అటవీ భాగం విస్తీర్ణం	:	641.73 ఎకరములు (లేదా) 259.70 హె.

### భాగం నందు పొందుపరచబడిన ప్రదేశముల వివరములు

గ్రామము పేరు	సర్వే నెం.	ప్రస్తుత రెవిన్యూ వర్గీకరణ	మొత్తం విస్తీర్ణం (ఎకరాలలో)	భాగం నందు పొందుపరచబడిన విస్తీర్ణం (ఎకరాలలో)
ఉయ్యాలపల్లి	9 - పార్ట్	పోరంబోకు	326.50	324.23
	66-పార్ట్	పోరంబోకు	-	183.00
ఉయ్యాలపల్లి	67-1	పోరంబోకు	134.50	134.50
		మొత్తం		641.73

### సరిహద్దులు

**ఉత్తరం:** స్టేషన్ నెం.(1) చింతలపాళెం మరియు ఉయ్యాలపల్లి ఉమ్మడి గ్రామ సరిహద్దు పై నున్న అక్షాంశము-14.44205 మరియు రేఖాంశము-79.37854 క్లిఫ్ పాయింట్ నందు ప్రారంభమై తదుపరి, బొండ్లరీ లైను తూర్పు మరియు ఉత్తరం దిశలో స్టేషన్ నెం.14 వరకు ఈ క్రింది బేరింగులు మరియు దూరముల ననుసరించి పోవును.

స్టేషన్ నెం.		మేగ్నటిక్ బేరింగులు		దూరము లింకులలో	రిమార్కులు
నంబర్	వరకు	డిగ్రీలు	నిమిషాలు		
1	2	3	4	5	6
1	2	77	0	1183	సర్వే నెం.9 వెంబడి
2	3	0	30	1430	
3	4	126	0	700	సర్వే నెం. 2 వెంబడి
4	5	93	30	180	
5	6	8	30	700	
6	7	335	0	879	
7	8	96	0	1200	సర్వే నెం. 1 వెంబడి
8	9	95	0	1118	సర్వే నెం. 3 వెంబడి
9	10	195	30	257	-
10	11	129	0	1696	
11	12	26	30	652	
12	13	158	0	1618	సర్వే నెం. 6 వెంబడి
13	14	97	30	1114	సర్వే నెం. 7 వెంబడి

**తూర్పు:** తదుపరి బొండ్లరీ లైను దక్షిణ దిశలో స్టేషన్ నెం.20 వరకు ఈ క్రింది బేరింగులు మరియు దూరముల ననుసరించి పోవును.

స్టేషన్ నెం.		మేగ్నటిక్ బేరింగులు		దూరము లింకులలో	రిమార్కులు
నంబర్	వరకు	డిగ్రీలు	నిమిషాలు		
1	2	3	4	5	6
14	15	191	0	2330	సర్వే నెం.67/2 వెంబడి
15	16	191	0	3000	
16	17	212	0	250	సర్వే నెం.36 వెంబడి.
17	18	190	0	250	
18	19	173	0	450	
19	20	170	0	650	సర్వే నెం.35 వెంబడి



**దక్షిణం:** తదుపరి బౌండరీ లైను పడమర దిశలో స్టేషన్ నెం.29 వరకు ఈ క్రింది బేరింగులు మరియు దూరముల ననుసరించి పోవును.

స్టేషన్ నెం.		మేగ్నటిక్ బేరింగులు		దూరము లింకులలో	రిమార్కులు
నుండి	వరకు	డిగ్రీలు	నిమిషాలు		
1	2	3	4	5	6
20	21	276	30	717	సర్వే నెం.34 మరియు 12 వెంబడి
21	22	280	30	1200	సర్వే నెం. 12 వెంబడి
22	23	314	0	100	సర్వే నెం. 66 వెంబడి
23	24	314	0	1133	
24	25	291	0	1140	
25	26	200	0	2000	
26	27	200	0	2200	
27	28	289	0	1800	
28	29	289	0	1036	

**పడమర:** తదుపరి బౌండరీ లైను రావూరు-వెలిగొండ బ్లాకు-బి యొక్క తూర్పు బౌండరీ లైన్ ననుసరించి స్టేషన్ నెం.38 వరకు, తదుపరి చింతలపాలెం గ్రామ సరిహద్దు లైను ననుసరించి స్టేషన్ నెం.40 వరకు తదుపరి సర్వే నెం.155 వెంబడి ప్రారంభ పాయింట్ వరకు (స్టేషన్ నెం-1 వరకు) ఈ క్రింది బేరింగులు మరియు దూరముల ననుసరించి పోవును.

స్టేషన్ నెం.		మేగ్నటిక్ బేరింగులు		దూరము లింకులలో	రిమార్కులు
నుండి	వరకు	డిగ్రీలు	నిమిషాలు		
1	2	3	4	5	6
29	30	324	30	1687	ఉయ్యాలపల్లి రిజర్వు ఫారెస్టు వెంబడి
30	31	332	30	620	
31	32	341	0	430	
32	33	35	0	606	రావూరు-వెలిగొండ బ్లాకు-బి రిజర్వు ఫారెస్టు వెంబడి.
33	34	36	30	523	
34	35	35	30	500	
35	36	55	30	512	
36	37	63	0	600	
37	38	87	30	659	
38	39	15	0	841	చింతలపాలెం గ్రామ సరిహద్దు వెంబడి.
39	40	12	0	1337	
40	1	65	0	1687	సర్వే నెం.155 వెంబడి

**రిమార్కులు:****అనుమతించబడిన రైట్ ఆఫ్ వే / రైట్ ఆఫ్ వాటర్ కోర్సులు:**

- 1) ఈ బ్లాకు నందు ఎలాంటి ఎన్క్లోజర్స్ అనుమతించలేదు.
- 2) ఈ బ్లాకు నందున్న 100 లింకుల వెడల్పు గల, సొమశిల నుండి రాపూరు పోవుచున్న మెటల్ రోడ్డును ప్రజోపయోగ నిమిత్తము అనుమతించబడినది.
- 3) కండలేరు, పూండి (టి.జి.పి ) ప్రధాన కాలువను 500 లింకుల వెడల్పు గల వాటర్ కోర్సును ప్రజోపయోగ నిమిత్తము అనుమతించబడినది.

**ఎం. శామ్మ్యల్,**  
ప్రభుత్వ ప్రత్యేక ప్రధాన కార్యదర్శి.